

CVA-28

ActiveSpeaker

The CVA-28 is an extremely versatile dual 8-inch active full range speaker system from Cerwin-Vega! The compact CVA-28 is easy to configure to meet a variety of different sound reinforcement applications. With three built-in amplifiers that are optimized for the speakers performance the CVA-28 pumps out 400 watts of continuous power, and 800 watts peak power - and reliably delivers a very rich and robust sound. Being compact and self-powered makes the CVA-28 highly portable and easy to configure differently from gig to gig. Whether it is small performances such as mobile DJ functions to permanent club installs, the CVA-28 is a perfect mix of form, function, and value.

With a variety of options such as dual and triple speaker mount accessories and a dedicated flyware kit, the CVA-28 is well suited to be scaled up or down depending upon the requirements. Stack one or two on the new CVA-115 15" active subwoofer, the CVA-118 18" active subwoofer or up to three units on the new CVA-121 21" active subwoofer that utilizes legendary Stroker technology. The CVA-28 is also compatible with industry standard speaker poles. At only 20" tall, this active speaker system provides incredible frequency response and performance for it's small size. The striking Cerwin-Vega metal grill also functions as a heat sink that helps to cool the driver and optimize performance. A contour switch provides an alternate complex EQ circuit for added high frequency extension and enhanced performance at high volumes. Choose between mic or line level input. Daisy chain power and audio cables for a clean look when using multiple units on poles or tripod mounts.

The CVA-28 is constructed of road ready hardwood with the option of a Coolex polyurethane paint finish. The CVA-28 is a great choice when flexibility, portability, performance, and reliability are needed.



- Compact High-Performance Full Range Active 3-Way System
- Powerful Built-In Tri-Amped 400 watt Amp Module, 800w Peak
- Solid 18-mm Hardwood Enclosure Construction
- Durable Coolex Polyurethane Paint, or High Grade Carpet Finish
- Upgrade Path – Increase Your Modular System Over Time
- Arrayable and Flyable using Cerwin-Vega! Accessories
- Performance Matched with CVA Active System Subwoofers

 **CERWIN-VEGA!**
ProfessionalAudio

CVA-28

Active Speaker

Specifications

System Type	Dual 8 Inch Active full range speakers
Power	400 Watts Continuous / 800 Watts Peak
Frequency Response	70 Hz - 20 Hz (+/-3 dB)
Frequency Range	60 Hz - 20 Hz (-10 dB)
Max SPL	128 dB
Connectors	Inputs: XLR/F Balanced 1/4" TRS Outputs: XLR/M 1/4" TRS
Controls	Level Line/Mic-D.I. No Sub with Sub Countour/Off Power Voltage selector
Nominal Beamwidth (-6 db SPL points)	Horizontal 50° / Vertical 50°
Enclosure / Finish	18mm Multi-ply Hardwood Coolex Paint
Dimensions	Front 11" x 20" 279 x 520 mm / Rear 8" x 12" 216 x 305 mm
Weight	48 lbs (21.8 kg)



Details

Feature	Advantage	Benefit
Dual 8 inch full range active speaker	Optimized for portability	Reliably plays loud and long, and has incredible frequency response
Built-in System Amplification	Amplifier designed to optimize performance	Great reliable sound that is easy to set up
Cast Aluminum Grille	Durable grille design that protects and acts as a heat sink	Reduces power compression so you can play louder and longer
Hardwood Enclosure	Rugged enclosure construction material	Road ready cabinet that is easy to transport from gig to gig
Pole Mount Socket	Easily mounted in single, double and triple configuration with CVA- 118 or CVA-121 sub	Allows for flexible full range system configurations

CERWIN-VEGA!

USA: 3000 SW 42nd St. Hollywood, FL 33312 • Phone: 1.954.316.1501 • Fax: 1.954.316.1590
 Europe: 382 Avenue del la Couronne, 1050 Brussels, Belgium • Phone: +32 2 645 05 00 • Fax +32 2 645 05 05
www.cerwin-vega.com



CERWIN-VEGA!
ActiveSeries

it, unique, powerful, dominant, integrated, thunderous, accurate, portable, system, active, flexible, extreme, rugged, big

Meet the family

For more than 50 years, Cerwin-Vega! has set the standard for high performance professional sound reinforcement. Cerwin-Vega does it again with the introduction of the Active Series. Simply put, if you make your living as DJ, performing artist, or production company, this series is for you. If you are tired of compromising performance, particularly great bass output for portability, Cerwin-Vega Active is what you've been waiting for.

Cerwin-Vega Active is a system approach to live sound, building on Cerwin-Vega's proud legacy as the dominant force in low-frequency sound reproduction. By combining, and precisely matching speaker, enclosure and amplification technology into one package, Cerwin-Vega engineers have maximized the overall acoustic performance of each speaker, while eliminating the, set-up complexities that usually come from such high performance components.



The Players

CVA-28

The CVA-28 is a 3 way active speaker system that provides powerful sound in a small, modular package.

CVA-118

CVA-121

The CVA-118 and CVA-121 subwoofers match perfectly with the CVA-28. The custom-designed drivers in the 18" and 21" beasts use legendary Cerwin-Vega! technology for maximum cone excursion and voice-coil efficiency.



Because of our heritage in bass performance, the series is built on a foundation that includes two available active subwoofers, including a massive 21 inch unit. Regardless of application, you'll know the venue will be covered in deep, clean, thunderous bass. The Cerwin-Vega Active Series doesn't stop there. Understanding that overall coverage and upper frequency accuracy are as important as the reproduction of tremendous bass, the active subwoofers are paired to an accurate, active dual 8-inch full range speaker. The perfect partner to the active subs, the dual 8-inch 3-way provides mid-range and upper end definition typically reserved for studio monitors.

If acoustic performance and portability weren't enough, one of the important aspects of the Active Series is upgradeability. Start off small and build as you go. The Cerwin-Vega Active Series provides a building block approach that grows as your needs do. Also the system design means you only have to take the components you need for each job. Upgradeability is further enhanced with a complete array of speaker mount accessories. These bring all the acoustic components together with the convenience and flexibility you want during your next performance.

Piqued your interest? Good!
On the next pages we'll take a closer look at the players and how each can be configured for maximum performance in applications like yours.

Go Big or Go Home


Show us somebody who doesn't appreciate solid, powerful bottom end, and we'll show you a person with no soul. Nobody knows more about the reproduction of clean, venue shaking bass than Cerwin-Vega. We practically invented it! No wonder we built the Cerwin-Vega Active Series on a solid bass reproduction platform. Two Subwoofers are available to meet your application and budget needs; the CVA-118 and the flagship CVA-121 active subwoofer, with a massive 21-inch woofer and integrated 1200-watt power amplifier.



CVA-121

The CVA-121 system offers tremendous power output and exceptional low frequency response. The CVA-121 represents an industry milestone, as it is the first 1200-watt, 21-inch active subwoofer. A key engineering challenge in the development of the CVA-121 was to maintain woofer control from a system able to deliver such extreme excursions and high SPL. The answer? Cerwin-Vega's innovative Stroker® Technology, which utilizes a three-spider driver design to optimize cone excursion and voice coil efficiency. Stroker® provides a pair of double inverted spiders to control linearity and maintain smooth excursion. While a third spider provides another plane of support for speaker movement. The third spider also keeps the surround from pulling the cone unevenly, dramatically improving voice coil and magnetic gap alignment at the system's extreme output. Cerwin-Vega engineers even utilized a unique and striking cast aluminum grille that doubles as a speaker heat sink, enabling these woofers to play longer and harder than anything else in their class.

STROKER®



Matched to this woofer is a powerful, built-in 1200-watt (2400 watt peak), high-efficiency Class-H amplifier. The CVA-121 amplifier includes a unique onboard parametric equalizer that allows for added adjustment of gain, frequency and Q for customized performance options. This allows users to dial in the correct sub response for each venue. Users can bump frequencies that need more emphasis or cut offending frequencies that occur from room corner loading or wall boundary conditions. Integrating all these technologies allows the CVA-121 to deliver best in class low frequency output from a 21-inch speaker, but has a footprint more like an 18-inch box. The result of all this integration is power, upgradeability and improved portability.

Unleashing all this power has never been easier thanks to a complete array of connection and mounting options. First, XLR and quarter inch connectors allow for balanced and unbalanced operation, and flexible setup while using a wide variety of cables and configurations.

While Master/Slave output connectors allow users to daisy-chain multiple CVA subwoofers. Finally, three top-mount 35 mm pole sockets and matched mounting accessories, provide for flexible full range system configurations.

Protecting your investment is solid 18-mm hardwood construction, available in either durable Coollex® polyurethane paint or high grade Carpet finish. Bottom line; the CVA-121 Active Subwoofer will provide you exceptional performance in a package much smaller and easier to use than you have ever seen before.



Get the power.



CVA-118

The CVA-118 shares many of the features and benefits found in its bigger 21-inch brother, but with an even more compact enclosure. This active subwoofer is built around a custom designed 18-inch Cerwin-Vega woofer with extreme power handling and output. To maximize the woofer's output, the CVA-118 system includes a matched and integrated 700-watt amplifier. This active design approach not only maximizes performance, but delivers improved portability. Users get the output of an 18" woofer from an enclosure normally associated with a smaller 15-inch subwoofer.

Of course, flexible input connections, daisy-chain capability, and mounting accessories makes the CVA-118 the perfect first choice when building an easy to use, flexible and powerful bottom end foundation.



CVA-28

While impressive on its own, the Cerwin-Vega Active Series subwoofers are complemented by the CVA-28. Like its subwoofer partners, the CVA-28 is a totally integrated, matched, and optimized active speaker system that provides powerful sound in a small, modular package. The system configuration starts with an innovative, 3 way, dual 8" design. The dual 8" configuration was chosen for optimized directivity and to provide high performance in a small package. The custom designed Cerwin-Vega drivers also provide superior power handling, tight bass and refined mid-range. Finally, a compression driver is placed in the center of the top woofer in a concentric configuration. This design provides time-aligned high frequencies for incredible detail and imaging.

Matched to this impressive transducer array is a 400 watt integrated 3-way amplifier. With 800 watts peak output, the amplifier circuitry also boasts several helpful user features. Start with a dedicated EQ contour switch optimized for high SPL situations. This feature greatly

enhances speaker sound quality by reducing unwanted frequencies at high SPLs. This equalization control is the result of testing in real world environments with industry experts. A Sub/No Sub switch allows users to roll off the low end when used with a dedicated subwoofer, eliminating competing frequencies in the system. Access to the amplification section is available through microphone, line, and instrument inputs through XLR and quarter inch connectors. These flexible input choices let you choose how you use the system: PA, satellite speaker, or instrument source. System status is communicated by a series of four LEDs that provide direct feedback on important information such as signal and power.

As with other members of the Cerwin-Vega Active Series, the CVA-28 provides superior flexibility and upgradeability. The CVA-28 can be mounted or installed in a myriad of ways thanks to integrated fly points, fly kits, pole mounts, and dual and triple speaker mount accessories. Cerwin-Vega hardware accessories let users

create a mini flyable array, or create an expandable system with Cerwin-Vega subwoofers, allowing the CVA-28 to cover venues from intimate to large. The available speaker mounting systems allows up to three CVA-28 speakers to be horizontally arrayed. And there is no need to guess on how to angle the CVA-28s on top of a CVA subwoofer, since the dual and triple speaker mount accessories provide guide pins for optimized array angles, guaranteeing best SPL and overall performance from your CVA-28 array.

With or without its CVA subwoofer partners, the CVA-28 is just the best sounding active full range speaker in its class. Whether it's hip hop, jazz, bluegrass or rock and roll, the CVA-28 provides the performance, power and flexibility you just can't find elsewhere. If you're looking for an upgradeable and accurately voiced speaker as part of your performance arsenal, the CVA-28 is the way to go.

You got gigs, we got your gear

Whether it's hip hop, jazz, bluegrass or rock and roll, the Cerwin-Vega Active Series offers performance, power and flexibility you just can't find elsewhere. If you're looking for a reliable, upgradeable and accurately voiced speaker system, this is the series for you. So here are just a few application ideas for those of you that make a living as DJ or live performer, looking to entertain a intimate crowd or the whole house.



Ground Floor

DJ or small ensemble, a pair of CVA-28's would impress just about any crowd on their own. Add a CVA-118 and really make an impression.



Moving On Up

Bigger group, bigger venue. Cerwin-Vega Active has what you need. Add a pair of 28's and move up to the massive CVA-121 and you'll have everyone off their seats.



Crowded House

Keep it portable, and just add more gear. It's all compatible, upgradeable and flexible. Array more CVA-28's for full house coverage, and double up your bottom end with dual subs.




Flying High

No matter the platform, you have the gear. Bring only what you need, knowing you have a totally reliable system complete with integrated flypoints, and accessories that will allow you to put all this power and performance where you need it. So get ready to be asked back, again, and again.

Pack a Punch, Not Your Vehicle

You know less is more when it comes to packing out your next gig. Rely on the Cerwin-Vega Active Series to do the grunt work. You can leave the extra roadie behind and just grab your gear. Leave behind any doubt about the sound too, with complete system integration it's like you've got a top sound engineer coming along for the ride. You've got the sound and the punch covered.

If you make your living as DJ, performing artist, or production company, this series is for you. If you are tired of compromising performance, particularly great bottom end output for portability, Cerwin-Vega Active Series is what you've been waiting for.



CVA-121

CVA-121 SUBWOOFER SYSTEM

21-INCH ACTIVE SUBWOOFER

Power Capacity	Continuous 1200 watt peak 2400 watt
Frequency Response	(+/- 3dB) 35 Hz – 135 Hz
Frequency Range	(-10 dB) 32 Hz – 135 Hz
Max SPL	135 dB at 2400 watt
Sensitivity	(1w/1m) 101 dB
LF Driver	SW21A, 21 inch with Stroker® technology Subsonic Filter: 25 Hz
Voice Coil	4 inch

AMPLIFIER MODULE

Power Rating	1200 watt / 2400 watt peak
Input Connectors	XLR/F Balanced (x2) Bal/Unbalanced 1/4 inch TRS (x2) Balanced
Output Connectors	XLR/M (x2) 1/4 inch TRS (x2) Bal/Unbalanced XLR/M Slave Balanced

CROSSOVER VARIABLE

LPF: 65 Hz to 130 Hz Variable
Subsonic Filter: 25 Hz

CONTROLS

HPF: 65 Hz, 85 Hz, 130 Hz
Variable LPF: 65 Hz, 130 Hz

POLARITY SWITCH

0-180 Polarity Switch
0-180 Parametric Equalizer
Gain, Frequency, Q

POWER CONSUMPTION AT IDLE

No more than 20W

CONSTRUCTION

18 mm Hardwood Finish
Cool-X® Polyurethane Paint or Carpet

Dimensions- (H x W x D)
31.75 inch x 23.5 inch x 23.5 inch
806 mm x 597 mm x 597 mm

Net Weight 180 lb (82 kg)
Additional- Removable Casters: 2 fixed, 2 swivel

CVA-118

CVA-118 SUBWOOFER SYSTEM

18-INCH ACTIVE SUBWOOFER

Power Capacity	Continuous 700 watt peak 1400 watt
Frequency Response	(+/- 3dB) 39 Hz – 135 Hz
Frequency Range	(-10 dB) 36 Hz – 135 Hz
Max SPL	131 dB at 1200 watt
Sensitivity	(1w/1m) 99 dB
LF Driver	SW18C, 18 inch
Voice Coil	3 inch

AMPLIFIER MODULE

Power Rating	700 watt / 1400 watt peak
Input Connectors	XLR/F Balanced (x2) Bal/Unbalanced 1/4 inch TRS (x2) Balanced
Output Connectors	XLR/M (x2) 1/4 inch TRS (x2) Bal/Unbalanced XLR/M Slave Balanced

CROSSOVER VARIABLE

LPF: 65 Hz to 130 Hz Variable
Subsonic Filter: 25 Hz

CONTROLS

HPF: 65 Hz, 85 Hz, 130 Hz
Variable LPF: 65 Hz, 130 Hz

POLARITY SWITCH

0-180 Polarity Switch

POWER CONSUMPTION AT IDLE

No more than 20W

CONSTRUCTION

18 mm Hardwood Finish
Cool-X® Polyurethane Paint or Carpet

Dimensions (H x W x D)
25 inch x 21 inch x 23.5 inch
635 mm x 533 mm x 597mm

Net Weight- 115 lb (52 kg)

CVA-28

CVA-28 FULL RANGE SYSTEM

DUAL 8-INCH ACTIVE FULL RANGE

Power Capacity	Continuous 400 watts Peak 800 watts
Frequency Response	(+/- 3dB) 70 Hz – 20 kHz
Frequency Range	(-10 dB) 60 Hz – 20 kHz
Max SPL	128 dB at 800 watts
Sensitivity	(1w/1m) 99 dB
HF Driver	CD34B voice coil 34mm
MLF Driver	FR8C, 8 inch voice coil 2 inch
LF Driver	FR8B, 8 inch voice coil 2 inch
Nominal Beam Width (-6 dB SPL Points)	Horizontal 50 Vertical 50

AMPLIFIER MODULE

Power Rating	400 watts / 800 watts peak
Input Connectors	XLR/F 1/4 inch TRS Bal/Unbalanced
Output Connectors	XLR/M 1/4 inch TRS Balanced

CONTROLS LEVEL


Line/Mic-D.I.
No Sub/With Sub
Contour/Off Power Voltage Selector

CONSTRUCTION

Multi-ply Hardwood Finish
Cool-X® Polyurethane Paint or Carpet

Dimensions (H x W x D)
20.5 inch x (front)11 inch (rear) 8.5 inch x 12 inch
520 mm x (front)279 mm (rear) 216 mm x 305 mm

Net Weight 48 lb (21.8 kg)



Cerwin-Vega.com

USA: Cerwin-Vega! 3000 SW 42nd Street, Hollywood, FL 33312. Phone: 1-954-316-1501 Fax: 1-954-316-1590 Email: info@Cerwin-Vega.com

Europe: Stanton Europe 382 Avenue de la Couronne, 1050 Brussels, Belgium. Phone: +32 2 645 05 00 Fax: +32 2 645 05 05 Email: euoffice@stantoneurope.com

Cerwin-Vega! Is a division of the Stanton Group. Cerwin-Vega! Reserves the right to make changes to product specifications and design at anytime ©Copyright 2008 Cerwin-Vega!